Journal of MOLECULAR BIOLOGY

Editor in Chief
S. BRENNER

Editors

P. Chambon
M. Gottesman
R. Huber
A. Klug
B. Mach
K. Matsubara
P. von Hippel

Associate Editors

C. R. Cantor
D. J. DeRosier
A. R. Fersht
W. A. Hendrickson
J. Karn
R. Laskey
V. Luzzati
B. Matthews
J. H. Miller
M. F. Moody
R. Schleif
N. L. Sternberg

Volume 200

5 March to 20 April 1988

ACADEMIC PRESS

(Harcourt Brace Jovanovich, Publishers)

London Orlando San Diego New York
Toronto Montreal Sydney Tokyo

QH
01
73

Jancarik, J., de Vos, A., Kim, S.-H. Miura, K., Ohtsuka, E., Noguchi, S. and Nishimura, S., Crystallization of Human c-H-*ras* Oncogene Products . . . 205

Luo, M., Tsao, J., Rossmann, M. G., Basak, S. and Compans, R. W., Preliminary X-ray Crystallographic Analysis of Canine Parvovirus Crystals 209

Damante, G. and Rapoport, B., A Suppressor of Transcriptional Activity is Present Upstream from the Rat c-Ha-ras Promoter 213

Rafferty, J. B., Phillips, S. E. V., Rojas, C., Boulot, G., Saint-Girons, I., Guillou, Y. and Cohen, G. N., Crystallization of the Met Repressor from *Escherichia coli* . 217

Announcement 221

Number 2, 20 March 1988

Leroy, J. L., Kochoyan, M., Huynh-Dinh, T. and Guéron, M., Characterization of Base-pair Opening in Deoxynucleotide Duplexes using Catalyzed Exchange of the Imino Proton 223

Gordon, A. J. E., Burns, P. A., Fix, D. F., Yatagai, F., Allen, F. L., Horsfall, M. J., Halliday, J. A., Gray, J., Bernelot-Moens, C. and Glickman, B. W., Missense Mutation in the *lacI* Gene of *Escherichia coli*. Inferences on the Structure of the Repressor Protein 239

Goulet, I., Zivanovic, Y., Prunell, A. and Revet, B., Chromatin Reconstitution on Small DNA Rings. I 253

Zivanovic, Y., Goulet, I., Revet, B., Le Bret, M. and Prunell, A., Chromatin Reconstitution on Small DNA Rings. II. DNA Supercoiling on the Nucleosome . . 267

Appendix: Le Bret, M., Computation of the Helical Twist of Nucleosomal DNA . 285

Stern, S., Changchien, L.-M., Craven, G. R. and Noller, H. F., Interaction of Proteins S16, S17 and S20 with 16 S Ribosomal RNA 291

Svensson, P., Changchien, L.-M., Craven, G. R. and Noller, H. F., Interaction of Ribosomal Proteins S6, S8, S15 and S18 with the Central Domain of 16 S Ribosomal RNA 301

Powers, T., Changchien, L.-M., Craven, G. R. and Noller, H. F., Probing the Assembly of the 3′ Major Domain of 16 S Ribosomal RNA Quaternary Interactions Involving Ribosomal Proteins S7, S9 and S19 309

Green, L. L. and Dove, W. F., Correlation between Tubulin mRNA Stability and Poly(A) Length over the Cell Cycle of *Physarum polycephalum* 321

Egelman, E. H. and Stasiak, A., Structure of Helical RecA–DNA Complexes. II. Local Conformational Changes Visualized in Bundles of RecA–ATPγS Filaments . . . 329

Steven, A. C., Trus, B. L., Maizel, J. V., Unser, M., Parry, D. A. D., Wall, J. S., Hainfeld, J. F. and Studier, F. W., Molecular Substructure of a Viral Receptor-recognition Protein. The gp17 Tail-fiber of Bacteriophage T7 351

Robinson, J. P., Schmid, M. F., Morgan, D. G. and Chiu, W., Three-dimensional Structural Analysis of Tetanus Toxin by Electron Crystallography 367

Benight, A. S., Schurr, J. M., Flynn, P. F., Reid, B. R. and Wemmer, D. E., Melting of a Self-complementary DNA Minicircle. Comparison of Optical Melting Theory with Exchange Broadening of the Nuclear Magnetic Resonance Spectrum 377

Appendix A: Optical Melting Theory 392

Appendix B: Theoretical Estimation of the Catalytic Rate Constants 393

Kundrot, C. E. and Richards, F. M., Effects of Hydrostatic Pressure on the Solvent in Crystals of Hen Egg-white Lysozyme 401

Letters to the Editor

Rio, D. C., Barnes, G., Laski, F. A., Rine, J. and Rubin, G. M., Evidence for *Drosophila* P Element Transposase Activity in Mammalian Cells and Yeast . . 411

Turley, S., Adman, E. T., Sieker, L. C., Liu, M.-Y., Payne, W. J. and LeGall, J., Crystallization of Nitrite Reductase from *Achromobacter cycloclastes* . . . 417

Marsh, N., Leadlay, P. F. and Evans, P. R., Crystallization and Preliminary Diffraction Data for Adenosylcobalamin-dependent Methylmalonyl-CoA. Mutase from *Propionibacterium shermanii* 421

Jhoti, H., Gorinsky, B., Garratt, R. C., Lindley, P. F., Walton, A. R. and Evans, R. W., Crystallization and Preliminary Analysis of an 18,000 M_r Fragment of Duck Ovotransferrin 423

Number 3, 5 April 1988

Aldea, M., Maples, V. F. and Kushner, S. R., Generation of a Detailed Physical and Genetic Map of the *ilv-metE-udp* Region of the *Escherichia coli* Chromosome . . 427

Le Blancq, S. M., Swinkels, B. W., Gibson, W. C. and Borst, P., Evidence for Gene Conversion Between the Phosphoglycerate Kinase Genes of *Trypanosoma brucei* . . 439

Nalbantoglu, J., Miles, C. and Meuth, M., Insertion of Unique and Repetitive DNA Fragments into the *aprt* Locus of Hamster Cells 449

Sandman, K., Kroos, L., Cutting, S., Youngman, P. and Losick, R., Identification of the Promoter for a Spore Coat Protein Gene in *Bacillus subtilis* and Studies on the Regulation of its Induction at a Late Stage of Sporulation 461

Rao, V. B. and Black, L. W., Cloning, Overexpression and Purification of the Terminase Proteins gp16 and gp17 of Bateriophage T4. Construction of a Defined *in-Vitro* DNA Packaging System Using Purified Terminase Proteins 475

Mills, D. R., Engineered Recombinant Messenger RNA can be Replicated and Expressed Inside Bacterial Cells by an RNA Bacteriophage Replicase 489

Froshauer, S., Green, G. N., Boyd, D., McGovern, K. and Beckwith, J., Genetic Analysis of the Membrane Insertion and Topology of MalF, a Cytoplasmic Membrane Protein of *Escherichia coli* 501

Roseman, M. A., Hydrophilicity of Polar Amino Acid Side-chains is Markedly Reduced by Flanking Peptide Bonds 513

Read, R. J. and James, M. N. G., Refined Crystal Structure of *Streptomyces griseus* Trypsin at 1·7 Å Resolution 523

Raag, R., Appelt, K., Xuong, N.-H. and Banaszak, L., Structure of the Lamprey Yolk Lipid–Protein Complex Lipovitellin–Phosvitin at 2·8 Å Resolution 553

Yun-yu, S., Ru-huai, Y. and van Gunsteren, W. F., Molecular Dynamics Simulation of Despentapeptide Insulin in a Crystalline Environment 571

Saxena, A. M., Phycocyanin Aggregation. A Small Angle Neutron Scattering and Size Exclusion Chromatographic Study 579

Di Cera, E., Doyle, M. L. and Gill, S. J., Alkaline Bohr Effect of Human Hemoglobin A_o 593

Letters to the Editor

Murray, J. A. H., Cesareni, G. and Argos, P., Unexpected Divergence and Molecular Coevolution in Yeast Plasmids 601

Harel, M., Shoham, M., Frolow, F., Eisenberg, H., Mevarech, M., Yonath, A. and Sussman, J. L., Crystallization of Halophilic Malate Dehydrogenase from *Halobacterium marismortui* 609

Rozeboom, H. J., Kingma, J., Janssen, D. B. and Dijkstra, B. W., Crystallization of Haloalkane Dehalogenase from *Xanthobacter autotrophicus* GJ10 611

Wilson, D. K., Rudolph, F. B., Harrison, M. L., Kellems, R. E. and Quiocho, F. A., Preliminary X-ray Analysis of Crystals of Murine Adenosine Deaminase . 613

Number 4, 20 April 1988

Wilson, P. W., Rogers, J., Harding, M., Pohl, V., Pattyn, G. and Lawson, D. E. M., Structure of Chick Chromosomal Genes for Calbindin and Calretinin 615

Bourbon, H.-M., Lapeyre, B. and Amalric, F., Structure of the Mouse Nucleolin Gene. The Complete Sequence Reveals that Each RNA Binding Domain is Encoded by Two Independent Exons 627

Hudson, G. S., Holton, T. A., Whitfeld, P. R. and Bottomley, W., Spinach Chloroplast *rpo*BC Genes Encode Three Subunits of the Chloroplast RNA Polymerase . . . 639

Höög, C., Daneholt, B. and Wieslander, L., Terminal Repeats in Long Repeat Arrays are Likely to Reflect the Early Evolution of Balbiani Ring Genes 655

Ripley, L. S., Dubins, J. S., deBoer, J. G., DeMarini, D. M., Bogerd, A. M. and Kreuzer, K. N., Hotspot Sites for Acridine-induced Frameshift Mutations in Bacteriophage T4 Correspond to Sites of Action of the T4 Type II Topoisomerase . 665

Nguyen, H. T. and Minton, K. W., Ultraviolet-induced Dimerization of Non-adjacent Pyrimidines. A Potential Mechanism for the Targeted −1 Frameshift Mutation . . 681

Hwang, J.-J., Brown, S. and Gussin, G. N., Characterization of a Doubly Mutant Derivative of the λ P_{RM} Promoter. Effects of Mutations on Activation of P_{RM} . . 695

Berg, O. G. and von Hippel, P. H., Selection of DNA Binding Sites by Regulatory Proteins. II. The Binding Specificity of Cyclic AMP Receptor Protein to Recognition Sites 709

Appendix: A Simple Model for CRP Activation 722

De Sanctis, G., Falcioni, G., Giardina, B., Ascoli, F. and Brunori, M., Mini-myoglobin. The Structural Significance of Haem–Ligand Interactions 725

Letters to the Editor

Hwang, J.-J. and Gussin, G. N., Interactions Between *Escherichia coli* RNA Polymerase and Lambda Repressor. Mutations in P_{RM} Affect Repression of P_R . 735

Schiksnis, R. A., Bogusky, M. J. and Opella, S. J., Secondary Structure of Filamentous Bacteriophage Coat Protein is Preserved in Lipid Environments . 741

Bock, I., Reinstein, J., Brune, M., Wittinghofer, A. and Rösch, P., Proton-Nuclear Magnetic Resonance Studies of the Aromatic Spin Systems of *Escherichia coli* Adenylate Kinase 745

DeLuca-Flaherty, C., Flaherty, K. M., McIntosh, L. J., Bahrami, B. and McKay, D. B., Crystals of an ATPase Fragment of Bovine Clathrin Uncoating ATPase 749

Moody, P. C. E. and Demple, B., Crystallization of O^6-Methylguanine-DNA Methyltransferase from *Escherichia coli* 751

Serra, M. A., Bass, M. B., Fromm, H. J. and Honzatko, R. B., Preliminary X-ray Crystallographic Study of Adenylosuccinate Synthetase from *Escherichia coli* . 753

Index to Volume 200

Achromobacter cycloclastes nitrite reductase, crystallization, 417
Acridine-induced frameshift mutations in bacteriophage T4, hotspot sites correspond to sites of action of the T4 type II topoisomerase, 665
Adenosine deaminase, murine, crystals, preliminary X-ray analysis, 613
Adenosylcobalamin-dependent methylmalonyl-CoA mutase from *Propionibacterium shermanii*, crystallization and preliminary diffraction data, 421
Adenylate kinase, *Escherichia coli*, proton n.m.r. studies of aromatic spin systems, 745
Adenylosuccinate synthetase from *Escherichia coli*, preliminary X-ray study, 753
Adman, E. T. (see also Turley, S.), 417
Aggregation of phycocyanin; a small angle neutron scattering and size exclusion chromatographic study, 579.
Alcaligenes denitrificans azurin, n.m.r. study of the protonation behaviour of the histidine residues and the electron self-exchange reaction, 189
Aldea, M., Maples, V. F. & Kushner, S. R., Generation of a detailed physical and genetic map of the *ilv-metE-udp* region of the *Escherichia coli* chromosome, 427
Alkaline Bohr effect of human hemoglobin A_o, 593
Allen, F. L. (see also Gordon, A. J. E.), 239
Amalric, F. (see also Bourbon, H.-M.), 627
Amino acid side-chain hydrophilicity is markedly reduced by flanking peptide bonds, 513
Appelt, K. (see also Raag, R.), 553
aprt locus of hamster cells, insertion of unique and repetitive DNA fragments, 449
Argos, P. (see also Murray, J. A. H.), 601
Aromatic spin systems of *Escherichia coli* adenylate kinase, proton n.m.r. studies, 745
Ascoli, F. (see also de Sanctis, G.), 725
Aspartate aminotransferase isoenzyme genes, mouse, structural organization; introns antedate the divergence of cytosolic and mitochondrial isoenzyme genes, 13
Assembly of the 3′ major domain of 16 S ribosomal RNA. Quaternary interactions involving ribosomal proteins S7, S9 and S19, 309
ATPase fragment of bovine clathrin uncoating ATPase; crystals, 749
Ayme-Southgate, A. (see also Pauli, D.), 47
Azurin from *Alcaligenes denitrificans*, n.m.r. study of the protonation behaviour of the histidine residues and the electron self-exchange reaction, 189

Bacillus subtilis, identification of the promoter for a spore coat protein gene and studies on the regulation of its induction at a late stage of sporulation, 461
Bacterial cells, engineered recombinant mRNA can be replicated and expressed by an RNA bacteriophage replicase, 489
Bacteriophage T4, cloning, overexpression and purification of the terminase proteins gp16 and gp17; construction of a defined *in-vitro* DNA packaging system using purified terminase proteins, 475
Bacteriophage T4, hotspot sites for acridine-induced frameshift mutations correspond to sites to action of the type II topoisomerase, 665
Bacteriophage T7, molecular substructure of gp17 tail-fiber, 351
Bahrami, B. (see also DeLuca-Flaherty, C.), 749
Balbiani ring genes, early evolution is reflected by terminal repeats in long repeat arrays, 655
Banaszak, L. (see also Raag, R.), 553
Barnes, G. (see also Rio, D. C.), 411
Basak, S. (see also Luo, M.), 209
Base-pair opening in deoxynucleotide duplexes, characterization using catalyzed exchange of the imino proton, 223
Bass, M. B. (see also Serra, M. A.), 753
Beckwith, J. (see also Froshauer, S.), 501
Benight, A. S., Schurr, J. M., Flynn, P. F., Reid, B. R. & Wemmer, D. E., Melting of a self-complementary DNA minicircle. Comparison of optical melting theory with exchange broadening of the nuclear magnetic resonance spectrum, 377
Berg, O. G. & von Hippel, P. H., Selection of DNA binding sites by regulatory proteins. II. The binding specificity of cyclic AMP receptor protein to recognition sites, 709
Bernelot-Moens, C. (see also Gordon, A. J. E.), 239
Bickle, T. A. (see also Hübelin, M.), 23
Binding specificity of cyclic AMP receptor protein to recognition sites, 709
Black, L. W. (see also Rao, V. B.), 475
Bock, I., Reinstein, J., Brune, M., Wittinghofer, A. & Rösch, P., Proton-nuclear magnetic resonance studies of the aromatic spin systems of *Escherichia coli* adenylate kinase, 745
Bogero, A. M. (see also Ripley, L. S.), 665
Bogusky, M. J. (see also Schiksnis, R. A.), 741
Borst, P. (see also Le Blancq, S. M.), 439
Bottomley, W. (see also Hudson, G. S.), 639
Boulot, G. (see also Rafferty, J. B.), 217
Bourbon, H.-M., Lapeyre, B. & Amalric, F., Structure of the mouse nucleolin gene. The complete sequence reveals that each RNA binding domain is encoded by two independent exons, 627
Bovine clathrin uncoating ATPase, crystals of an ATPase fragment, 749
Bovine pancreatic phospholipase A_2 covalently inhibited by *p*-bromo-phenacyl-bromide, crystal structure, 181
Bovine prothrombin gene, structure and evolution, 31
Boyd, D. (see also Froshauer, S.), 501
p-Bromo-phenacyl-bromide covalent inhibition, and crystal structure of bovine pancreatic phospholipase A_2, 181
Brown, S. (see also Hwang, J.-J.), 695
Brune, M. (see also Bock, I.), 745
Brunori, M. (see also de Sanctis, G.), 725
Burns, P. A. (see also Gordon, A. J. E.), 239

Calbindin, structure of chick chromosomal gene, 615
Calretinin, structure of chick chromosomal gene, 615
Canine parvovirus crystals, preliminary X-ray crystallographic analysis, 209
Canters, G. W. (see also Groeneveld, C. M.), 189
Capel, M. S., Kjeldgaard, M., Engelman, D. M. & Moore, P. B., Positions of S2, S13, S16, S17, S19 and S21 in the 30 S ribosomal subunit of *Escherichia coli*, 65
Cell cycle of *Physarum polycephalum*, correlation between tubulin mRNA stability and poly(A) length, 321
Cesareni, G. (see also Murray, J. A. H.), 601
Chabanas, A. (see also Khochbin, S.), 55
Changchien, L.-M. (see also Powers, T.), 309
Changchien, L.-M. (see also Stern, S.), 291
Changchien, L.-M. (see also Svensson, P.), 301
c-Ha-*ras* promoter, rat, a suppressor of transcriptional activity is present upstream, 213
c-H-*ras* oncogene products, human; crystallization, 205
Chick chromosomal genes for calbindin and calretinin; structure, 615
Chiu, W. (see also Robinson, J. P.), 367
Chloroplast *rpo*BC genes of spinach encode three subunits of the chloroplast RNA polymerase, 639
Chromatin of *Dictyostelium* ribosomal RNA genes, topoisomerase I cleavage sites identified and mapped, 127
Chromatin reconstitution on small DNA rings, 253
Chromatin reconstitution on small DNA rings; DNA supercoiling on the nucleosome, 267
Chromatographic size-exclusion study of phycocyanin aggregation, 579
Chromosomal genes, chick, for calbindin and calretinin; structure, 615
Chromosome, *Escherichia coli*, generation of a detailed physical and genetic map of the *ilv-metE-udp* region, 427
Chromosomes, metaphase, scaffold attachment of DNA loops, 101
Clathrin uncoating ATPase, bovine, crystals of an ATPase fragment, 749
Cleavage sites, topoisomerase I, identified and mapped in the chromatin of *Dictyostelium* ribosomal RNA genes, 127
Coat protein, filamentous bacteriophage, secondary structure is preserved in lipid environments, 741

Cohen, G. N. (see also Rafferty, J. B.), 217
Colman, P. M. (see also Varghese, J. N.), 201
Compans, R. W. (see also Luo, M.), 209
Craven, G. R. (see also Powers, T.), 309
Craven, G. R. (see also Stern, S.), 291
Craven, G. R. (see also Svensson, P.), 301
Cross-bridges in myosin filaments, ionic effects on the rotational dynamics, measured by triplet absorption anisotropy, 89
CRP activation, a simple model, 722
Crystal structures, refined, of *Streptomyces griseus* trypsin at 1·7 Å resolution, 523
Crystals of an ATPase fragment of bovine clathrin uncoating ATPase, 749
Crystals of hen egg-white lysozyme, effect of hydrostatic pressure on the solvent, 401
Crystallization of haloalkane dehalogenase from *Xanthobacter autotrophicus* GJ10, 611
Crystallization of halophilic malate dehydrogenase from *Halobacterium marismortui*, 609
Crystallization of human c-H-*ras* oncogene products, 205
Crystallization of nitrite reductase from *Achromobacter cycloclastes*, 417
Crystallization of O^6-methylguanine-DNA methyltransferase from *Escherichia coli*, 751
Crystallization of the Met repressor from *Escherichia coli*, 217
Crystallization and preliminary analysis of an 18,000 M_r fragment of duck ovotransferrin, 423
Crystallization and preliminary diffraction data for adenosylcobalamin-dependent methylmalonyl-CoA mutase from *Propionibacterium shermanii*, 421
Cutting, S. (see also Sandman, K.), 461
Cyclic AMP receptor protein, binding specificity to recognition sites, 709
Cytoplasmic membrane protein MalF of *Escherichia coli*, genetic analysis of the membrane insertion and topology, 501

Damante, G. & Rapoport, B., A suppressor of transcriptional activity is present upstream from the rat c-Ha-*ras* promoter, 213
Daneholt, B. (see also Höög, C.), 655
Deboer, J. G. (see also Ripley, L. S.), 665
DeLuca-Flaherty, C., Flaherty, K. M., McIntosh, L. J., Bahrami, B. & McKay, D. B., Crystals of an ATPase fragment of bovine clathrin uncoating ATPase, 749
DeMarini, D. M. (see also Ripley, L. S.), 665
Demple, B. (see also Moody, P. C. E.), 751
Deoxygenated sickle cell hemoglobin fibers, X-ray diffraction studies of 14-filament models; models based on the deoxygenated sickle hemoglobin crystal structure, 141
Deoxynucleotide duplexes, base-pair opening characterization using catalyzed exchange of the imino proton, 223
DNA binding sites, selection by regulatory proteins. The binding specificity of cyclic AMP receptor protein to recognition sites, 709
DNA fragments, unique and repetitive, insertion into the *aprt* locus of hamster cells, 449
DNA loops, scaffold attachment in metaphase chromosomes, 101
DNA minicircle, self-complementary, melting; comparison of optical melting theory with exchange broadening of the n.m.r. spectrum, 377
DNA interaction with nuclear scaffolds *in vitro*, 111
DNA packaging system constructed using purified terminase proteins, 475
DNA–RecA helical complexes, structure; local conformational changes visualized in bundles of RecA–ATPγs filaments, 329
DNA rings, small, and chromatin reconstitution, 253
DNA rings, small, and chromatin reconstitution; DNA supercoiling on the nucleosome, 267
DNA supercoiling on the nucleosome; chromatin reconstitution on small DNA rings, 267
DNA type III *res*triction and *mod*ification systems *Eco*P1 and *Eco*P15. Nucleotide sequence of the *Eco*P1 operon, the *Eco*P15 *mod* gene and some *Eco*P1 *mod* mutants, 23
De Sanctis, G., Falcioni, G., Giardina, B., Ascoli, F. & Brunori, M., Mini-myoglobin. The structural significance of haem–ligand interactions, 725
Despentapeptide insulin, molecular dynamics simulation in a crystalline environment, 571
De Vos, A. (see also Jancarik, J.), 205
d(GGGTGCCC) mismatched duplex and Watson–Crick analogue d(GGGCGCCC); structures, 151
Di Cera, E., Doyle, M. L. & Gill, S. J., Alkaline Bohr effect of human hemoglobin A_o, 593
Dictyostelium ribosomal RNA genes, topoisomerase I cleavage sites identified and mapped in the chromatin, 127
Differentiation; early events in murine erythroleukemia cells; accumulation and gene expression of p53, 55
Dijkstra, B. W. (see also Renetseder, R.), 181
Dijkstra, B. W. (see also Rozeboom, H. J.), 611
Dimerization, ultraviolet-induced, of non-adjacent pyrimidines, 681
Divergence and molecular coevolution in yeast plasmids, 601
Dove, W. F. (see also Green, L. L.), 321
Doyle, M. L. (see also Di Cera, E.), 593
Drenth, J. (see also Renetseder, R.), 181
Drosophila P element transposase activity in mammalian cells and yeast, 411
Drosophila unusual split heat shock gene expressed during embryogenesis, pupation and in testis, 47
Dubins, J. S. (see also Ripley, L. S.), 665
Duck ovotransferrin, crystallization and preliminary analysis of an 18,000 M_r fragment, 423
Duplex, mismatched, d(GGGTGCCC), and one of its Watson–Crick analogues d(GGGCGCCC); structures, 151

Eads, T. M. (see also Ludescher, R. D.), 89
Eberle, H. (see also Hümbelin, M.), 23
*Eco*P1 operon, the *Eco*P15 *mod* gene and some *Eco*P1 *mod* mutants; nucleotide sequences, 23
Egelman, E. H. & Stasiak, A., Structure of helical RecA–DNA complexes. II. Local conformational changes visualized in bundles of RecA–ATPγS filaments, 329
Eisenberg, H. (see also Harel, M.), 609
Eisenstein, M. (see also Rabinovich, D.), 151
Electron crystallographic three-dimensional structural analysis of tetanus toxin, 367
Engelman, D. M. (see also Capel, M. S.), 65
Engineered recombinant mRNA can be replicated and expressed inside bacterial cells by an RNA bacteriophage replicase, 489
Erkelens, C. (see also Groeneveld, C. M.), 189
Erythroleukemia cells, murine, induced to differentiate, early events; accumulation and gene expression of the transformation-associated cellular protein p53, 55
Escape mutant of neuraminidase of influenza virus A/Tokyo/3/67, structure at 3 Å, 201
Escherichia coli adenylate kinase, proton n.m.r. studies of aromatic spin systems, 745
Escherichia coli adenylosuccinate synthetase, preliminary X-ray study, 753
Escherichia coli chromosome, generation of a detailed physical and genetic map of the *ilv-metE-udp* region, 427
Escherichia coli, crystallization of the Met repressor, 217
Escherichia coli, crystallization of O^6-methylguanine-DNA methyltransferase, 751
Escherichia coli, genetic analysis of the membrane insertion and topology of MalF, 501
Escherichia coli, missense mutation in the *lacI* gene, 239
Escherichia coli, positions of S2, S13, S16, S17, S19 and S21 in the 30 S ribosomal subunit, 65
Escherichia coli RNA polymerase, interactions with lambda repressor; mutations in P_{RM} affect repression of P_R, 735
Evans, P. R. (see also Marsh, N.), 421
Evans, R. W. (see also Jhoti, H.), 423
Evolution of Balbiani ring genes is likely to be reflected by terminal repeats in long repeat arrays, 655
Evolution of the bovine prothrombin gene, 31
Evolution: unexpected divergence and molecular coevolution in yeast plasmids, 601

Falcioni, G. (see also de Sanctis, G.), 725
Filamentous bacteriophage coat protein secondary structure is preserved in lipid environments, 741

Fix, D. F. (see also Gordon, A. J. E.), 239
Flaherty, K. M. (see also DeLuca-Flaherty, C.), 749
Flynn, P. F. (see also Benight, A. S.), 377
Frameshift mutation, −1, a potential mechanism; ultraviolet-induced dimerization of non-adjacent pyrimidines, 681
Frameshift mutations, acridine-induced, in bacteriophage T4, hotspot sites correspond to sites of action of the T4 type II topoisomerase, 665
Frolow, F. (see also Harel, M.), 609
Froshauer, S., Green, G. N., Boyd, D., McGovern, K. & Beckwith, J., Genetic analysis of the membrane insertion and topology of MalF, a cytoplasmic membrane protein of *Escherichia coli*, 501

Garratt, R. C. (see also Jhoti, H.), 423
Gasser, S. M. (see also Mirkovitch, J.), 101
Genes, Balbiani ring, early evolution is reflected by terminal repeats in long repeat arrays, 655
Gene, bovine prothrombin, structure and evolution, 31
Genes, chromosomal, chick, for calbindin and calretinin; structure, 615
Gene conversion between the phosphoglycerate kinase genes of *Trypanosoma brucei*, 439
Gene, *Eco*P15 *mod*, nucleotide sequence, 23
Gene expression of p53; early events in murine erythroleukemia cells induced to differentiate, 55
Gene, heat shock, *Drosophila*, split, expressed during embryogenesis, pupation and in testis, 47
Genes, isoenzyme, mouse aspartate aminotransferase, structural organization; introns antedate the divergence of cytosolic and mitochondrial isoenzyme genes, 13
Gene, *lac*I, of *Escherichia coli*, missense mutation, 239
Gene, mouse mitochondrial malate dehydrogenase, structural organization, 1
Gene, nucleolin, mouse; structural, 627
Gene, spore coat protein, in *Bacillus subtilis*, identification of the promoter and studies on the regulation of its induction at a late stage of sporulation, 461
Genes, ribosomal, RNA, *Dictyostelium*, topoisomerase I cleavage sites identified and mapped in the chromatin, 127
Genes, spinach chloroplast *rpo*BC, encode three subunits of the chloroplast RNA polymerase, 639
Genetic analysis of the membrane insertion and topology of MalF, a cytoplasmic membrane protein of *Escherichia coli*, 501
Genetic and physical map generation for the *ilv-metE-udp* region of the *Escherichia coli* chromosome, 427
Giardina, B. (see also de Sanctis, G.), 725
Gibson, W. C. (see also le Blancq, S. M.), 439
Gill, S. J. (see also di Cera, E.), 593
Glickman, B. W. (see also Gordon, A. J. E.), 239
Gordon, A. J. E., Burns, P. A., Fix, D. F., Yatagai, F., Allen, F. L., Horsfall, M. J., Halliday, J. A., Gray, J., Bernelot-Moens, C. & Glickman, B. W., Missense mutation in the *lac*I gene of *Escherichia coli*. Inferences on the structure of the repressor protein, 239
Gorinsky, B. (see also Jhoti, H.), 423
Goulet, I., Zivanovic, Y., Prunell, A. & Revet, B., Chromatin reconstitution on small DNA rings. I, 253
Goulet, I. (see also Zivanovic, Y.), 267
gp16 and gp17 terminase proteins of bacteriophage T4, cloning, overexpression and purification; use in construction of a defined *in-vitro* DNA packaging system, 475
gp17 tail-fiber of bacteriophage T7; molecular substructure, 351
Gray, J. (see also Gordon, A. J. E.), 239
Green, G. N. (see also Froshauer, S.), 501
Green, L. L. & Dove, W. F., Correlation between tubulin mRNA stability and poly(A) length over the cell cycle of *Physarum polycephalum*, 321
Groeneveld, C. M., Ouwerling, M. C., Erkelens, C. & Canters, G. W., ^{1}H nuclear magnetic resonance study of the protonation behaviour of the histidine residues and the electron self-exchange reaction of azurin from *Alcaligenes denitrificans*, 189
Guéron, M. (see also Leroy, J. L.), 223
Guillou, Y. (see also Rafferty, J. B.), 217
Gussin, G. N. (see also Hwang, J.-J.), 695, 735

Haem–ligand interactions, structural significance; mini-myoglobin, 725
Hainfeld, J. F. (see also Steven, A. C.), 351
Halliday, J. A. (see also Gordon, A. J. E.), 239
Haloalkane dehalogenase from *Xanthobacter autotrophicus* GJ10; crystallization, 611
Halobacterium marismortui, crystallization of halophilic malate dehydrogenase, 609
Hamster cells, insertion of unique and repetitive DNA fragments into the *aprt* locus, 449
Haran, T. (see also Rabinovich, D.), 151
Harding, M. (see also Wilson, P. W.), 615
Harel, M., Shoham, M., Frolow, F., Eisenberg, H., Mevarech, M., Yonath, A. & Sussman, J. L., Crystallization of halophilic malate dehydrogenase from *Halobacterium marismortui*, 609
Harrison, M. L. (see also Wilson, D. K.), 613
Heat shock gene, split, *Drosophila*, expressed during embryogenesis, pupation and in testis, 47
Helical RecA–DNA complexes, structure; local conformational changes visualized in bundles of RecA–ATPγS filaments, 329
Helical twist of nucleosomal DNA, computation, 285
Hemoglobin, human, A_o, alkaline Bohr effect, 593
Hen egg-white lysozyme, effect of hydrostatic pressure on the solvent in crystals, 401
Histidine residues of azurin from *Alcaligenes denitrificans*, n.m.r. study of the protonation behaviour, 189
Holton, T. A. (see also Hudson, G. S.), 639
Honzatko, R. B. (see also Serra, M. A.), 753
Höög, C., Daneholt, B. & Wieslander, L., Terminal repeats in long repeat arrays are likely to reflect the early evolution of Balbiani ring genes, 655
Hornby, D. P. (see also Hümbelin, M.), 23
Horsfall, M. J. (see also Gordon, A. J. E.), 239
Hotspot sites for acridine-induced frameshift mutations in bacteriophage T4 correspond to sites of action of the T4 type II topoisomerase, 665
Hudson, G. S., Holton, T. A., Whitfield, P. R. & Bottomley, W., Spinach chloroplast *rpo*BC genes encode three subunits of the chloroplast RNA polymerase, 639
Huizinga, K. (see also Renetseder, R.), 181
Human c-H-*ras* oncogene products, crystallization, 205
Human hemoglobin A_o, alkaline Bohr effect, 593
Hümbelin, M., Suri, B., Rao, D. N., Hornby, D. P., Eberle, H., Pripfl, T., Kenel, S. & Bickle, T. A., Type III DNA *res*triction and *mod*ification systems *Eco*P1 and *Eco*P15. Nucleotide sequence of the *Eco*P1 operon, the *Eco*P15 *mod* gene and some *Eco*P1 *mod* mutants, 23
Huynh-Dinh, T. (see also Leroy, J. L.), 223
Hwang, J.-J. & Gussin, G. N., Interactions between *Escherichia coli* RNA polymerase and lambda repressor. Mutations in P_{RM} affect repression of P_R, 735
Hwang, J.-J., Brown, S. & Gussin, G. N., Characterization of a doubly mutant derivative of the λ P_{RM} promoter. Effects of mutations on activation of P_{RM}, 695
Hydrophilicity of polar amino acid side-chains is markedly reduced by flanking peptide bonds, 513
Hydrostatic pressure, effect on the solvent in crystals of hen egg-white lysozyme, 401

ilv-metE-udp region of the *Escherichia coli* chromosome, generation of a detailed physical and genetic map, 427
Imino proton exchange, and characterization of base-pair opening in deoxynucleotide duplexes, 223
Influenza (see also Virus), 201
Insertion of unique and repetitive DNA fragments into the *aprt* locus of hamster cells, 449
Ionic effects on the rotational dynamics of cross-bridges in myosin filaments, measured by triplet absorption anisotropy, 89
Irwin, D. M., Robertson, K. A. & MacGillivray, R. T. A., Structure and evolution of the bovine prothrombin gene, 31
Izaurralde, E., Mirkovitch, J. & Laemmli, U. K., Interaction of DNA with nuclear scaffolds *in vitro*, 111

James, M. N. G. (see also Read, R. J.), 523

Jancarik, J., de Vos, A., Kim, S.-H., Miura, K., Ohtsuka, E., Noguchi, & Nishimura, S., Crystallization of human c-H-*ras* oncogene products, 205
Janssen, D. B. (see also Roseboom, H. J.), 611
Jhoti, H., Gorinsky, B., Garratt, R. C., Lindley, P. F., Walton, A. R. & Evans, R. W., Crystallization and preliminary analysis of an 18,000 M_r fragment of duck ovotransferrin, 423
Joh, T. (see also Takeshima, H.), 1

Kalk, K. H. (see also Renetseder, R.), 181
Kellems, R. E. (see also Wilson, D. K.), 613
Kenel, S. (see also Hümbelin, M.), 23
Khochbin, S., Principaud, E., Chabanas, A. & Lawrence, J.-J., Early events in murine erythroleukemia cells induced to differentiate. Accumulation and gene expression of the transformation-associated cellular protein p53, 55
Kim, S.-H. (see also Jancarik, J.), 205
Kingma, J. (see also Rozeboom, H. J.), 611
Kjeldgaard, M. (see also Capel, M. S.), 65
Kochoyan, M. (see also Leroy, J. L.), 223
Koller, T. (see also Ness, P. J.), 127
Kroos, L. (see also Sandman, K.), 461
Kreuzer, K. N. (see also Ripley, L. S.), 665
Kundrot, C. E. & Richards, F. M., Effects of hydrostatic pressure on the solvent in crystals of hen egg-white lysozyme, 401
Kushner, S. R. (see also Aldea, M.), 427

*lac*I gene of *Escherichia coli*, missense mutation, 239
Laemmli, U. K. (see also Izaurralde, E.), 111
Laemmli, U. K. (see also Mirkovitch, J.), 101
λ P_{RM} promoter, characterization of a doubly mutant derivative; effects of mutations on activation of P_{RM}, 695
Lambda repressor, interactions with *Escherichia coli* RNA polymerase; mutations in P_{RM} affect repression of P_R, 735
Lamprey yolk lipovitellin–phosvitin complex, structure at 2·8 Å resolution, 553
Lapeyre, B. (see also Bourbon, H.-M.), 627
Laski, F. A. (see also Rio, D. C.), 411
Laver, W. G. (see also Varghese, J. N.), 201
Lawrence, J.-J. (see also Khochbin, S.), 55
Lawson, D. E. M. (see also Wilson, P. W.), 615
Leadlay, P. F. (see also Marsh, N.), 421
le Blancq, S. M., Swinkels, B. W., Gibson, W. C. & Borst, P., Evidence for gene conversion between the phosphoglycerate kinase genes of *Trypanosoma brucei*, 439
le Bret, M., Computation of the helical twist of nucleosomal DNA (*Appendix* to Zivanovic, Y. *et al.*, 267), 285
le Bret, M. (see also Zivanovic, Y.), 267
Legall, J. (see also Turley, S.), 417
Leroy, J. L., Kochoyan, M., Huynh-Dinh, T. & Guéron, M., Characterization of base-pair opening in deoxynucleotide duplexes using catalyzed exchange of the imino proton, 223
Lindley, P. F. (see also Jhoti, H.), 423
Lipid environments, secondary structure of filamentous bacteriophage coat protein is preserved, 741
Lipovitellin–phosvitin complex, lamprey yolk, structure at 2·8 Å resolution, 553
Liu, M.-Y. (see also Turley, S.), 417
Losick, R. (see also Sandman, K.), 461
Ludescher, R. D., Eads, T. M. & Thomas, D. D., Ionic effects on the rotational dynamics of cross-bridges on myosin filaments, measured by triplet absorption anisotropy, 89
Luo, M., Tsao, J., Rossmann, M. G., Basak, S. & Compans, R. W., Preliminary X-ray crystallographic analysis of canine parvovirus crystals, 209
Lysozyme, hen egg-white, effect of hydrostatic pressure on the solvent in crystals, 401

MacGillivray, R. T. A. (see also Irwin, D. M.), 31
McGovern, K. (see also Froshauer, S.), 501
McIntosh, L. J. (see also DeLuca-Flaherty, C.), 749
McKay, D. B. (see also DeLuca-Flaherty, C.), 749
Magdoff-Fairchild, B. (see also Rosen, L. S.), 141
Maizel, J. V. (see also Steven, A. C.), 351
Malate dehydrogenase, halophilic, from *Halobacterium marismortui*; crystallization, 609
Malate dehydrogenase, mitochondrial, gene, mouse, structural organization, 1
MalF, genetic analysis of membrane insertion and topology, 501
Mammalian cells, evidence for *Drosophila* P element transposase activity, 411
Map, physical and genetic, of the *ilv-metE-udp* region of the *Escherichia coli* chromosome, 427
Maples, V. F. (see also Aldea, M.), 427
Marsh, N., Leadlay, P. F. & Evans, P. R., Crystallization and preliminary diffraction data for adenosylcobalamin-dependent methylmalonyl-CoA mutase from *Propionibacterium shermanii*, 421
Matsukado, Y. (see also Takeshima, H.), 1
Melting of a self-complementary DNA minicircle. Comparison of optical melting theory with exchange broadening of the n.m.r. spectrum, 377
Membrane insertion and topology of MalF, genetic analysis, 501
Messenger RNA, recombinant, engineered, can be replicated and expressed inside bacterial cells by an RNA bacteriophage replicase, 489
Messenger RNA, tubulin, stability, correlation with poly(A) length over the cell cycle of *Physarum polycephalum*, 321
Met repressor from *Escherichia coli*, crystallization, 217
Methylmalonyl-CoA mutase from *Propionibacterium shermanii*, crystallization and preliminary diffraction data, 431
Meuth, M. (see also Nalbantoglu, J.), 449
Mevarech, M. (see also Harel, M.), 609
Miles, C. (see also Nalbantoglu, J.), 449
Mills, D. R., Engineered recombinant messenger RNA can be replicated and expressed inside bacterial cells by an RNA bacteriophage replicase, 489
Mini-myoglobin. The structural significance of haem–ligand interactions, 725
Minton, K. W. (see also Nguyen, H. T.), 681
Mirkovitch, J., Gasser, S. M. & Laemmli, U. K., Scaffold attachment of DNA loops in metaphase chromosomes, 101
Mirkovitch, J. (see also Izaurralde, E.), 111
Mitochondrial malate dehydrogenase gene, mouse, structural organization, 1
Miura, K. (see also Jancarik, J.), 205
mod gene, *Eco*P15, nucleotide sequence, 23
Molecular coevolution in yeast plasmids, 601
Molecular dynamics simulation of despentapeptide insulin in a crystalline environment, 571
Molecular substructure of a viral receptor-recognition protein. The gp17 tail-fiber of bacteriophage T7, 351
Moody, P. C. E. & Demple, B., Crystallization of O^6-methylguanine-DNA methyltransferase from *Escherichia coli*, 751
Moore, P. B. (see also Capel, M. S.), 65
Morgan, D. G. (see also Robinson, J. P.), 367
Mouse aspartate aminotransferase isoenzyme genes, structural organization; introns antedate the divergence of cytosolic and mitochondrial isoenzyme genes, 13
Mouse mitochondrial malate dehydrogenase gene, structural organization, 1
Mouse nucleolin gene structure, 627
Murine adenosine deaminase crystals, preliminary X-ray analysis, 613
Murine erythroleukemia cells induced to differentiate, early events; accumulation and gene expression of the transformation-associated cellular protein p53, 55
Murray, J. A. H., Cesareni, G. & Argos, P., Unexpected divergence and molecular coevolution in yeast plasmids, 601
Mutation, missense, in the *lac*I gene of *Escherichia coli*; inferences on the structure of the repressor protein, 239
Mutations in P_{RM} affect repression of P_R; interactions between *Escherichia coli* RNA polymerase and lambda repressor, 735
Myosin filaments, ionic effects on the rotational dynamics, measured by triplet absorption anisotropy, 89

Nalbantoglu, J., Miles, C. & Meuth, M., Insertion of unique and repetitive DNA fragments into the *aprt* locus of hamster cells, 449

Ness, P. J., Koller, T. & Thoma, F., Topoisomerase I cleavage sites identified and mapped in the chromatin of *Dictyostelium* ribosomal RNA genes, 127
Neuraminidase of influenza virus A/Tokyo/3/67, structure of an escape mutant at 3 Å, 201
Neutron scattering and size exclusion chromatographic study of phycocyanin aggregation, 579
Nguyen, H. T. & Minton, K. W., Ultraviolet-induced dimerization of non-adjacent pyrimidines. A potential mechanism for the targeted −1 frameshift mutation, 681
Nishimura, S. (see also Jancarik, J.), 205
Nitrite reductase from *Achromobacter cycloclastes*, crystallization, 417
Noguchi, S. (see also Jancarik, J.), 205
Noller, H. F. (see also Powers, T.), 309
Noller, H. F. (see also Stern, S.), 291
Noller, H. F. (see also Svensson, P.), 301
Nucleolin gene structure, mouse, 627
Nucleosomal DNA, computation of the helical twist, 285
Nucleosome, and DNA supercoiling; chromatin reconstitution on small DNA rings, 267
Nucleotide sequence of the *Eco*P1 operon, the *Eco*P15 *mod* gene and some *Eco*P1 *mod* mutants, 23

Obaru, K., Tsuzuki, T., Setoyama, C. & Shimada, K., Structural organization of the mouse aspartate aminotransferase isoenzyme genes. Introns antedate the divergence of cytosolic and mitochondrial isoenzyne genes, 13
Ohtsuka, E. (see also Jancarik, J.), 205
O^6-methylguanine-DNA methyltransferase from *Escherichia coli*. crystallization, 751
Oncogene products, c-H-*ras*, human; crystallization, 205
Opella, S. J. (see also Schiksnis, R. A.), 741
Ouwerling, M. C. (see also Groeneveld, C. M.), 189
Ovotransferrin, duck, crystallization and preliminary analysis of an 18,000 M_r fragment, 423

P element transposase activity, *Drosophila*, in mammalian cells and yeast, 411
P1 (see also *Eco*P1), 23
P15 (see also *Eco*P15), 23
p53 decay kinetics as measured by flow cytofluorimetry, 63
p53 and differentiation, 55
P_{RM} activation, effects of mutations, 695
P_{RM} mutations affect repression of P_R; interactions between *Escherichia coli* RNA polymerase and lambda repressor, 735
Packaging system, DNA, constructed using purified terminase proteins, 475
Parry, D. A. D. (see also Steven, A. C.), 351
Parvovirus, canine, crystals, preliminary X-ray analysis, 209
Pattyn, G. (see also Wilson, P. W.), 615
Pauli, D., Tonka, C.-H. & Ayme-Southgate, A., An unusual split *Drosophila* heat shock gene expressed during embryogenesis, pupation and in testis, 47
Payne, W. J. (see also Turley, S.), 417
Peptide bonds, flanking, markedly reduce hydrophilicity of polar amino acid side-chains, 513
Pflugrath, J. W. & Quiocho, F. A., The 2 Å resolution structure of the sulfate-binding protein involved in active transport in *Salmonella typhimurium*, 163
Phillips, S. E. V. (see also Rafferty, J. B.), 217
Phosphoglycerate kinase genes of *Trypanosoma brucei*, evidence for gene conversion, 439
Phospholipase A_3, pancreatic, bovine, covalently inhibited by *p*-bromo-phenacyl-bromide; crystal structure, 181
Phycocyanin aggregation; a small angle neutron scattering and size exclusion chromatographic study, 579
Physarum polycephalum, correlation between tubulin mRNA stability and poly(A) length over the cell cycle, 321
Plasmids, yeast, unexpected divergence and molecular coevolution, 601
Pohl, V. (see also Wilson, P. W.), 615
Poly(A) length, correlation with tubulin mRNA stability over the cell cycle of *Physarum polycephalum*, 321
Powers, T., Changchien, L.-M., Craven, G. R. & Noller, H. F., Probing the assembly of the 3′ major domain of 16 S ribosomal RNA quaternary interactions involving ribosomal proteins S7, S9 and S19, 309
Principaud E. (see also Khochbin, S.), 55
Pripfl, T. (see also Hümbelin, M.), 23
Promoter for a spore coat protein gene in *Bacillus subtilis*, and studies on regulation of its induction at a late stage of sporulation, 461
Propionibacterium shermanii, crystallization and preliminary diffraction data for methylmalonyl-CoA mutase, 421
Prothrombin gene, bovine, structure and evolution, 31
Proton-nuclear magnetic resonance studies of the aromatic spin systems of *Escherichia coli* adenylate kinase, 745
Proton nuclear magnetic resonance study of the protonation behaviour of the histidine residues and the electron self-exchange reaction of azurin from *Alcaligenes denitrificans*, 189
Prunell, A. (see also Goulet, I.), 253
Prunell, A. (see also Zivanovic, Y.), 267
Pyrimidines, non-adjacent, ultraviolet-induced dimerization, 681

Quiocho, F. A. (see also Pflugrath, J. W.), 163
Quiocho, F. A. (see also Wilson, D. K.), 613

Raag, R., Appelt, K., Xuong, N.-H. & Banaszak, L., Structure of the lamprey yolk lipid–protein complex lipovitellin–phosvitin at 2·8 Å resolution, 553
Rabinovich, D., Haran, T., Eisenstein, M. & Shakked, Z., Structures of the mismatched duplex d(GGGTGCCC) and of its Watson–Crick analogues d(GGGCGCCC), 151
Rafferty, J. B., Phillips, S. E. V., Rojas, C., Boulot, G., Saint-Girons, I., Guillou, Y. & Cohen, G. N., Crystallization of the Met repressor from *Escherichia coli*, 217
Rao, D. N. (see also Hümbelin, M.), 23
Rao, V. B. & Black, L. W., Cloning, overexpression and purification of the terminase proteins gp16 and gp17 of bacteriophage T4. Construction of a defined *in-vitro* DNA packaging system using purified terminase proteins, 475
Rapoport, B. (see also Damante, G.), 213
Rat c-Ha-*ras* promoter, a suppressor of transcriptional activity is present upstream, 213
Read, R. J. & James, M. N. G., Refined crystal structure of *Streptomyces griseus* trypsin at 1·7 Å resolution, 523
RecA–DNA complexes, helical, structure; local conformation changes visualized in bundles of RecA–ATPγS filaments, 329
Regulation of induction of promoter for a spore coat protein gene in *Bacillus subtilis*, 461
Regulatory proteins, and selection of DNA binding sites; the binding specificity of cyclic AMP receptor protein to recognition sites, 709
Reid, B. R. (see also Benight, A. S.), 377
Reinstein, J. (see also Bock, I.), 745
Renetseder, R., Dijkstra, B. W., Huizinga, K., Kalk, K. H. & Drenth, J., Crystal structure of bovine pancreatic phospholipase A_2 covalently inhibited by *p*-bromo-phenacyl-bromide, 181
Repeat arrays, terminal repeats are likely to reflect the early evolution of Balbiani ring genes, 655
Replication and expression of engineered recombinant mRNA inside bacterial cells by an RNA bacteriophage replicase, 489
Revet, B. (see also Goulet, I.), 253
Revet, B. (see also Zivanovic, Y.), 267
RNA bacteriophage replicase, and replication and expression of engineered recombinant mRNA inside bacterial cells, 489
RNA binding domain is encoded by two independent exons; structure of the mouse nucleolin gene, 627
RNA polymerase, *Escherichia coli*, interactions with lambda repressor; mutations in P_{RM} affect repression of P_R, 735
RNA polymerase genes from spinach chloroplasts, 639
RNA, ribosomal, genes, *Dictyostelium*, topoisomerase I cleavage sites identified and mapped in the chromatin, 127
RNA, 16 S ribosomal, interaction with proteins S16, S17 and S20, 291

RNA, 16 S ribosomal, interaction of ribosomal proteins S6, S8, S15 and S18 with the central domain, 301
RNA, 16 S ribosomal, probing the assembly of the 3′ major domain; quaternary interactions involving ribosomal roteins S7, S9 and S19, 309
Ribosomal RNA genes, *Dictyostelium*, topoisomerase I cleavage sites identified and mapped in the chromatin, 127
Ribosomal 16 S RNA, interaction with proteins S16, S17 and S20, 291
Ribosomal 16 S RNA, interaction of ribosomal proteins, S6, S8, S15 and S18 with the central domain, 301
Ribosomal 16 S RNA, probing the assembly of the 3′ major domain; quaternary interactions involving ribosomal proteins S7, S9 snd S19, 309
Ribosomal 30 S subunit of *Escherichia coli*, positions of S2, S13, S16, S17, S19 and S21, 65
Richards, F. M. (see also Kundrot, C. E.), 401
Rine, J. (see also Rio, D. C.), 411
Rio, D. C., Barnes, G., Laski, F. A., Rine, J. & Rubin, G. M., Evidence for *Drosophila* P element transposase activity in mammalian cells and yeast, 411
Ripley, L. S., Dubins, J. S., Deboer, J. G., Demarini, D. M., Bogerd, A. M. & Kreuzer, K. N., Hotspot sites for acridine-induced frameshift mutations in bacteriophage T4 correspond to sites of action of the T4 type II topoisomerase, 665
Robertson, K. A. (see also Irwin, D. M.), 31
Robinson, J. P., Schmid, M. F., Morgan, D. G. & Chiu, W., Three-dimensional structural analysis of tetanus toxin by electron crystallography, 367
Rogers, J. (see also Wilson, P. W.), 615
Rojas, C. (see also Rafferty, J. B.), 217
Rösch, P. (see also Bock, I.), 745
Roseman, M. A., Hydrophilicity of polar amino acid side-chains is markedly reduced by flanking peptide bonds, 513
Rosen, L. S. & Magdoff-Fairchild, B., X-ray diffraction studies of 14-filament models of deoxygenated sickle cell hemoglobin fibers. II. Models based on the deoxygenated sickle hemoglobin crystal structure, 141
Rossmann, M. G. (see also Luo, M.), 209
Rotational dynamics of cross-bridges in myosin filaments, measured by triplet absorption anisotropy, ionic effects, 89
Rozeboom, H. J., Kingma, J., Janssen, D. B. & Dijkstra, B. W., Crystallization of haloalkane dehalogenase from *Xanthobacter autotrophicus* GJ10, 611
*rpo*BC genes, chloroplast, spinach, encode three subunits of the chloroplast RNA polymerase, 639
Rubin, G. M. (see also Rio, D. C.), 411
Rudolph, F. B. (see also Wilson, D. K.), 613
Ru-Huai, Y. (see also Yun-Yu, S.), 571

S2, S13, S16, S17, S19 and S21, positions in the 30 S ribosomal subunit of *Escherichia coli*, 65
S6, S8, S15 and S18 ribosomal proteins, interaction with the central domain of 16 S ribosomal RNA, 301
S7, S9 and S19 ribosomal proteins, quaternary interactions; probing the assembly of the 3′ major domain of 16 S ribosomal RNA, 309
S16, S17 and S20 proteins, interaction with 16 S ribosomal RNA, 291
Saint-Girons, I. (see also Rafferty, J. B.), 217
Salmonella typhimurium, the 2 Å resolution structure of the sulfate-binding protein involved in active transport, 163
Sandman, K., Kroos, L., Cutting, S., Youngman, P. & Losick, R., Identification of the promoter for a spore coat protein gene in *Bacillus subtilis* and studies on the regulation of its induction at a late stage of sporulation, 461
Saxena, A. M., Phycocyanin aggregation. A small angle neutron scattering and size exclusion chromatographic study, 579
Scaffold attachment of DNA loops in metaphase chromosomes, 101
Scaffolds, interaction with DNA *in vitro*, 111
Schiksnis, R. A., Bogusky, M. J. & Opella, S. J., Secondary structure of filamentous bacteriophage coat protein is preserved in lipid environments, 741
Schmid, M. F. (see also Robinson, J. P.), 367
Schurr, J. M. (see also Benight, A. S.), 377
Sequence, nucleotide, of the *Eco*P1 operon, the *Eco*P15 *mod* gene and some *Eco*P1 *mod* mutants, 23
Serra, M. A., Bass, M. B., Fromm, H. J. & Honzatko, R. B., Preliminary X-ray crystallographic study of adenylosuccinate synthetase from *Escherichia coli*, 753
Setoyama, C. (see also Obaru, K.), 13
Shakked, Z. (see also Rabinovich, D.), 151
Shimada, K. (see also Obaru, K.), 13
Shimada, K. (see also Takeshima, H.), 1
Shoham, M. (see also Harel, M.), 609
Sickle cell hemoglobin fibers, deoxygenated, X-ray diffraction studies of 14-filament models; models based on the deoxygenated sickle hemoglobin crystal structure, 141
Sieker, L. C. (see also Turley, S.), 417
Solvent in crystals of hen egg-white lysozyme, effect of hydrostatic pressure, 401
Spinach chloroplast *rpo*BC genes encode three subunits of the chloroplast RNA polymerase, 639
Spore coat protein gene in *Bacillus subtilis*, identification of the promoter and studies on the regulation of its induction at a late stage of sporulation, 461
Stasiak, A. (see also Egelman, E. H.), 329
Stern, S., Changchien, L.-M., Craven, G. R. & Noller, H. F., Interaction of proteins S16, S17 and S20 with 16 S ribosomal RNA, 291
Steven, A. C., Trus, B. L., Maizel, J. V., Unser, M., Parry, D. A. D., Wall, J. S., Hainfeld, J. F. & Studier, F. W., Molecular substructure of a viral receptor-recognition protein. The gp17 tail-fiber of bacteriophage T7, 351
Structural organization of the mouse aspartate aminotransferase isoenzyme genes. Introns antedate the divergence of cytosolic and mitochondrial isoenzyme genes, 13
Structural organization of the mouse mitochondrial malate dehydrogenase gene, 1
Structural significance of haem–ligand interactions; mini-myoglobin, 725
Structural three-dimensional analysis of tetanus toxin by electron crystallography, 367
Structure of chick chromosomal genes for calbindin and calretinin, 615
Structure, crystal, of bovine pancreatic phospholipase A_2 covalently inhibited by *p*-bromo-phenacyl-bromide, 181
Structure of an escape mutant of glycoprotein N2 neuraminidase of influenza virus A/Tokyo/3/67 at 3 Å, 201
Structure and evolution of the bovine prothrombin gene, 31
Structure of gp17 tail-fiber of bacteriophage, T7, 351
Structure of helical RecA–DNA complexes. Local conformational changes visualized in bundles of RecA–ATPγS filaments, 329
Structure of the lamprey yolk lipid–protein complex lipovitellin–phosvitin at 2·8 Å resolution, 553
Structure of MalF, genetic analysis, 501
Structures of the mismatched duplex d(GGGTGCCC) and one of its Watson–Crick analogues d(GGGCGCCC), 151
Structure of the mouse nucleolin gene; each RNA binding domain is encoded by two independent exons, 627
Structure of the repressor protein, inferences from missense mutation in the *lac*I gene of *Escherichia coli*, 239
Structure, secondary, of filamentous bacteriophage coat protein is preserved in lipid environments, 741
Structure of *Streptomyces griseus* trypsin at 1·7 Å resolution, 523
Structure at 2 Å resolution of the sulfate-binding protein involved in active transport in *Salmonella typhimurium*, 163
Studier, F. W. (see also Steven, A. C.), 351
Sulfate-binding protein involved in active transport in *Salmonella typhimurium*, the 2 Å resolution structure, 163
Suri, B. (see also Hümbelin, M.), 23
Sussman, J. L. (see also Harel, M.), 609
Svensson, P., Changchien, L.-M., Craven, G. R. & Noller, H. F., Interaction of ribosomal proteins S6, S8, S15 and S18 with the central domain of 16 S ribosomal RNA, 301
Swinkels, B. W. (see also le Blancq, S. M.), 439

T4 (see also Bacteriophage), 475, 665
T7 (see also Bacteriophage), 351

Tail-fiber gp17 of bacteriophage T7; molecular substructure, 351
Takeshima, H., Joh, T., Tsuzuki, T., Shimada, K. & Matsukado, Y., Structural organization of the mouse mitochondrial malate dehydrogenase gene, 1
Terminal repeats in long repeat arrays are likely to reflect the early evolution of Balbiani ring genes, 655
Terminase proteins gp16 and gp17 of bacteriophage T4, cloning, overexpression and purification; use in construction of a defined *in-vitro* DNA packaging system, 475
Tetanus toxin, three-dimensional structural analysis by electron crystallography, 367
Thoma, F. (see also Ness, P. J.), 127
Thomas, D. D. (see also Ludescher, R. D.), 89
3′ major domain of 16 S ribosomal RNA, probing the assembly; quaternary interactions involving ribosomal proteins S7, S9 and S19, 309
Tonka, C.-H. (see also Pauli, D.), 47
Topoisomerase I cleavage sites identified and mapped in the chromatin of *Dictyostelium* ribosomal RNA genes, 127
Topoisomerase, type II, T4, action sites correspond to hotspot sites for acridine-induced frameshift mutations in bacteriophage T4, 665
Transcriptional activity suppressor is present upstream from the rat c-Ha-*ras* promoter, 213
Triplet absorption anisotropy measurements, and ionic effects on the rotational dynamics of cross-bridges in myosin filaments, 89
Trus, B. L. (see also Steven, A. C.), 351
Trypanosoma brucei, evidence for gene conversion between the phosphoglycerate kinase genes, 439
Trypsin, *Streptomyces griseus*, refined crystal structure at 1·7 Å resolution, 523
Tsao, J. (see also Luo, M.), 209
Tsuzuki, T. (see also Obaru, K.), 13
Tsuzuki, T. (see also Takeshima, H.), 1
Tubulin mRNA stability, correlation with poly(A) length over the cell cycle of *Physarum polycephalum*, 321
Turley, S., Adman, E. T., Sieker, L. C., Liu, M.-Y., Payne, W. J. & Legall, J., Crystallization of nitrite reductase from *Achromobacter cycloclastes*, 417

Ultraviolet-induced dimerization of non-adjacent pyrimidines, 681
Unser, M. (see also Steven, A. C.), 351

van Gunsteren, W. F. (see also Yun-Yu, S.), 571
Varghese, J. N., Webster, R. G., Laver, W. G. & Colman, P. M., Structure of an escape mutant of glycoprotein N2 neuraminidase of influenza virus A/Tokyo/3/67 at 3 Å, 201
Viral receptor-recognition protein, molecular substructure; the gp17 tail-fiber of bacteriophage T7, 351
Virus, influenza, A/Tokyo/3/67, structure of an escape mutant of glycoprotein N2 neuraminidase at 3 Å, 201
von Hippel, P. H. (see also Berg, O. G.), 709

Wall, J. S. (see also Steven, A. C.), 351
Walton, A. R. (see also Jhoti, H.), 423
Watson–Crick analogue d(GGGCGCCC) and mismatched duplex d(GGGTGCCC); structures, 151
Webster, R. G. (see also Varghese, J. N.), 201
Wemmer, D. E. (see also Benight, A. S.), 377
Whitfield, P. R. (see also Hudson, G. S.), 639
Wieslander, L. (see also Höög, C.), 655
Wilson, D. K., Rudolph, F. B., Harrison, M. L., Kellems, R. E. & Quiocho, F. A., Preliminary X-ray analysis of crystals of murine adenosine deaminase, 613
Wilson, P. W., Rogers, J., Harding, M., Pohl, V., Pattyn, G. & Lawson, D. E. M., Structure of chick chromosomal genes for calbindin and calretinin, 615
Wittinghofer, A. (see also Bock, I.), 745

Xanthobacter autotrophicus, crystallization of haloalkane dehalogenase, 611
X-ray analysis, preliminary, of crystals of murine adenosine deaminase, 613
X-ray crystallographic analysis, preliminary, of canine parvovirus crystals, 209
X-ray diffraction studies of 14-filament models of deoxygenated sickle cell hemoglobin fibers; models based on the deoxygenated sickle hemoglobin crystal structure, 141
X-ray study, preliminary, of adenylosuccinate synthetase from *Escherichia coli*, 753
Xuong, N.-H. (see also Raag, R.), 553

Yatagai, F. (see also Gordon, A. J. E.), 239
Yeast, evidence for *Drosophila* P element transposase activity, 411
Yeast plasmids, unexpected divergence and molecular coevolution, 601
Yonath, A. (see also Harel, M.), 609
Youngman, P. (see also Sandman, K.), 461
Yun-Yu, S., R-Huai, Y. & van Gunsteren, W. F., Molecular dynamics simulation of despentapeptide insulin in a crystalline environment, 571

Zivanovic, Y., Goulet, I., Revet, B., le Bret, M. & Prunell, A., Chromatin reconstitution on small DNA rings. II. DNA supercoiling on the nucleosome, 267
Zivanovic, Y. (see also Goulet, I.), 253